

## 11" OPEN END ELECTRIC PUNCH

#### **FEATURES**

- The OD 4012 Punch Comes With Both a Manual and An Auto-Reversing Feature That Prevents Jams.
- All Dies for the OD 4012 Feature
  Our Ingenious Patented Swing
  Away Die Pin Retainer System.
  Allows Quick Access to all Die
  Punch Pins while Holding them
  Firmly in Place. Easily Disengage
  Any Die Punch Pin.
- 12 Standard Interchangeable
  Die Patterns Available:
  (Each Die is Priced Separately)
  - Combs
  - Wire Loop
  - Plastic Coils
  - Velo Bind™ GBC
  - 3 Hole Loose Leaf
- Uses 11" Size Dies With Open Sides for Wider Sheet Punching Capability.

- OD 4800 and OD 4000 Dies and Modules work on the OD 4012, adding additional useful life to existing equipment.
- Die Removes With No Tools Required, Nothing to Take Apart.
- Easy, "Paper to Pin" Sight Alignment, For Balanced Hole to Edge Margins on Odd-Sized Applications.
- Punching Capacity Rated up to 25 Sheets of 20 lb. bond paper. Equal to 50 Pages. The Number of Sheets Depends on the Paper Weight and Punch Pattern Used.
- Smooth, Quiet, Power on Demand Operation.



Large Capacity U-View Waste Tray.



#### THE ULTIMATE IN:

Quality Paper Punching and Book Binding Equipment at Affordable Prices

www.RHIN-O-TUFF.com



# 14" (356MM) MANUAL WIRE CLOSING MACHINE

## **FEATURES**

- The NEW HD-8000 NOW Closes 3/16" to 1-1/2" (5MM-38MM) Double-Loop Binding
- More Accurate Close Using Textured Closing Surfaces.
- Machine can be
  Angled Back for Better
  Viewing and Wire
  Positioning.

- ✓ 14" Binding Edge.
- Easily Adjustable for Wire Sizes.
- Lightweight and Portable.
- Easy Operation at any Wire Size.
- ✓ All Metal Construction.

One year limited factory warranty.



Quality Paper Punching and Book Binding Equipment at Affordable Prices

Call 1-800-390-5782 For a Dealer Near You or Visit www.RHIN-O-TUFF.com

# **OD 4012**

#### MACHINE **SPECIFICATIONS** FIECTRICAL WEIGHT DIMENSIONS REQUIREMENTS VOLTS AC AMPS MACHINE SHIPPING HEIGHT WIDTH DEPTH Hz 60 48 lbs. 54 lbs. 6.5" 16" 18" 115 230 50 21.8 Kg 24.5 Kg 165 mm 406 mm 457 mm

### 12 Standard Punch Die Patterns Available. All Other Patterns Available Upon Request.





































THE HD 4470

**COMB** 

**OPENER** 

MODULE

Shown configured with Stand Alone Production Feet

CALL 1-800-390-5782 FOR A DEALER NEAR YOU OR VISIT OUR WEB PAGE AT WWW.RHIN-O-TUFF.COM