

1 YEAR WARRANTY

**E-Z Change Die System
Anti-Jam Manual and Auto Reversing Feature**

OD 4012

with 4 Interchangeable Binding Modules

For Flexible Space Saving Punch and Bind Combinations.



CE Approved

11" OPEN END ELECTRIC PUNCH

FEATURES

- ✓ The OD 4012 Punch Comes With Both a Manual and An Auto-Reversing Feature That Prevents Jams.
- ✓ All Dies for the OD 4012 Feature Our Ingenious Patented Swing Away Die Pin Retainer System. Allows Quick Access to all Die Punch Pins while Holding them Firmly in Place. Easily Disengage Any Die Punch Pin.
- ✓ 12 Standard Interchangeable Die Patterns Available: (Each Die is Priced Separately)
 - Combs
 - Wire Loop
 - Plastic Coils
 - Velo Bind™ GBC
 - 3 Hole Loose Leaf
- ✓ Uses 11" Size Dies With Open Sides for Wider Sheet Punching Capability.
- ✓ OD 4800 and OD 4000 Dies and Modules work on the OD 4012, adding additional useful life to existing equipment.
- ✓ Die Removes With No Tools Required, Nothing to Take Apart.
- ✓ Easy, "Paper to Pin" Sight Alignment, For Balanced Hole to Edge Margins on Odd-Sized Applications.
- ✓ Punching Capacity Rated up to 25 Sheets of 20 lb. bond paper. Equal to 50 Pages. The Number of Sheets Depends on the Paper Weight and Punch Pattern Used.
- ✓ Smooth, Quiet, Power on Demand Operation.

- ✓ Use Foot Pedal, Versa Switch or Palm Switch.
- ✓ Large Capacity U-View Waste Tray.



THE ULTIMATE IN:
Quality Paper Punching and Book Binding Equipment at Affordable Prices

www.RHIN-O-TUFF.com

OD 4012

MACHINE SPECIFICATIONS

ELECTRICAL REQUIREMENTS			WEIGHT		DIMENSIONS		
VOLTS AC	AMPS	Hz	MACHINE	SHIPPING	HEIGHT	WIDTH	DEPTH
115	4	60	48 lbs.	54 lbs.	6.5"	16"	18"
230	2	50	21.8 Kg	24.5 Kg	165 mm	406 mm	457 mm


12 Standard Punch Die Patterns Available. All Other Patterns Available Upon Request.



APES 14 AUTOMATIC PAPER EJECTOR & STACKER



HD 7700-H HORIZONTAL PUNCH




HD 6500 14" HEAVY DUTY OPEN END PUNCH



HD 7500 24" PUNCH with the large document support table



KK 4171 Shown mounted on an HD 4170 machine



OD 4000 11" OPEN END ELECTRIC PUNCH shown with coil inserter and wire closer modules



PC 2000 MANUAL PUNCH AND COIL INSERTER



The HD 8370 Shown with the HD 7700 14" OPEN END PUNCH



HD 4170 RHIN-O-ROLL HEAVY DUTY COIL INSERTER



HD 7000 14" HEAVY DUTY DELUXE OPEN END PUNCH



HC 8024 24" WIRE CLOSER




THE HD 4270



HC 8318 18" WIRE INSERTER CLOSER



OD 4012 11" ELECTRIC PUNCH



PAL-14 MODULAR PIKS-A-LIFT




THE HD 4470 COMB OPENER MODULE



OD 4800 11" OPEN END MANUAL PUNCH



OD 3500 COMBO BINDING STATION shown with comb opener and coil inserter modules attached.



COMBO BINDING MODULES

HC 8200/8300 14" SEMI-AUTOMATIC WIRE INSERTER/CLOSER



HC 8000 14" WIRE CLOSER

CALL **1-800-390-5782** FOR A DEALER NEAR YOU OR VISIT OUR WEB PAGE AT **WWW.RHIN-O-TUFF.COM**

Automatic Wire Closer
with Smart Detect System

**Automatically
Detects & Closes
All Wire Sizes!**



Smart Detect System
Automatically detects and closes different sized wires with a simple press of a button.



Built-In Safety Sensor
The safety sensor is built into the closing system for safe and trouble-free closing without risk of injury.



LCD Control Panel
The LCD display and Micro-Adjust keypad guarantees a perfect closure with all wire types and brands.



3:1 or 2:1 Pitch
Compatible with all 3:1 and 2:1 wires, up to 1-1/2".

AKILES FlexiCloser [AUTOMATIC WIRE CLOSER]

The Akiles FlexiCloser is the world's first Automatic Wire Closer with the Smart Detect System. The unique Smart Detect System allows the FlexiCloser to automatically detect and close 3:1 or 2:1 wires with the simple push of a button.

Smart Detect System

The closing plate automatically detects the wire size and adjusts the closing pressure as needed.

LCD Control Panel



Easy to read display and touch sensitive buttons make the machine easy to operate.

Magnetic Back

Aligns and holds the wire securely in place during the closing process.

Safety Sensor

The built-in safety sensor provides safe and trouble-free closing, without risk of injury.



FlexiPunch Mount

Optional mount allows the FlexiCloser to be mounted on top of our FlexiPunch Modular Punch Machine.

Built-In Wire Holder

SPECIFICATIONS	
Compatible Wire Pitch	3:1 and 2:1
Wire Closing Range	3/16" to 1-1/2"
Closing System	Horizontal, with Magnetic Back Wall
Safety Sensor	Yes
Wire Holder	Included
Weight & Volume	27 Lbs & 1.85CuFt
Warranty	1 Year

AUTHORIZED DEALER:

